

Escape 17B F1



**BASE FEATURES &
OPTIONS FLOORPLAN
CONFIGURATION GUIDE**

WELCOME TO FLOORPLAN 17B F1

The Escape 17B F1 offers a permanent two-person dinette that converts to a single bed at the front of the trailer and a four-person dinette that converts to a two-person bed in the rear of the trailer.

This guide will help you get started in configuring your trailer exactly the way you want it. You can use this guide to help decided on placement of the available options.

THROUGHOUT THIS GUIDE
P/S = Passenger Side | D/S = Driver Side

D/S - Driver Side



P/S - Passenger Side

PERSONALIZE YOUR ESCAPE

Our team at Escape Trailer is customer-centric, proud of our products, service, and most of all the experience you have while building your Escape. You can personalize your trailer by choosing between Oak, Maple, or Contemporary for your cabinetry, and seven standard choices of countertops, upholstery, and flooring to create your perfect style. There are 1000's of ways to personalize an Escape to make your trailer the perfect home away from home... **Escape is Built For You!**

CABINETRY

CABINET CHOICES

Choose from Oak, Maple, or Contemporary options.



Oak (Special Order)



Maple




Contemporary

Please note: Both Maple and Contemporary cabinet options come with clear frosted acrylic inserts for the upper cabinet doors.

FABRIC

STANDARD FABRIC CHOICES

Choose from our selection of seven standard fabric choices or supply a custom fabric from your own source.



Claro Alabaster



Chinchilla



Claro Ash



Heavenly Olive



Monroe Steel



Summit Ash

COUNTERTOPS

STANDARD COUNTERTOP CHOICES

Choose from our five standard countertops or choose from a range of Formica laminate options as well.



Calacata Cava



Earth Wash



Flax Gauze



Mineral Jet



Planked Coffee Oak

FLOORING

STANDARD FLOORING CHOICES

Choose your high-grade vinyl flooring from our seven standard choices or make an optional choice.



Coral Bay




Havana Tobacco



Shadow Grey



Hickory Tile



Roca

All sample swatches shown are for illustration purpose only. Actual product may vary.

STANDARD & OPTIONAL WINDOWS & EXTERIOR HATCHES



Front



Rear



P/S - Passenger Side



D/S - Driver Side

● STANDARD & ● OPTIONAL WINDOWS

All standard windows are Thermal Double-Glazed Framed Windows with Screen. The Emergency Exit window does not include a Screen. Front Window with Rock Shield is non-thermal and does not open.


- 1 Rear – fixed, does not open
- 2 P/S rear – dinette area, slides to open
- 3 P/S front – 2 person dinette area, slides to open
- 4 Front – fixed single pane window with rock shield cover
- 5 D/S front – 2 person dinette area, slides to open
- 6 D/S bathroom – slides to open **(optional)**
- 7 D/S kitchen – slides to open **(optional)**
- 8 D/S rear – dinette area, tilts to open **(Emergency Exit)**

● OPTIONAL EXTERIOR ACCESS HATCHES

Storage below dinette benches is accessible under bench seats or with the optional exterior hatch.

- 1 P/S rear option – allows access into the dinette bench storage from outside – optional hatch size 16-3/4" W x 7-1/2" H

CAPTAIN'S READING LIGHT LOCATIONS




● CAPTAIN'S READING LIGHTS

The optional Captain's Reading Lights mounted on the underside of the upper cabinets add additional lighting to both dinette areas.

- 1 D/S rear dinette option – rear of dinette
- 2 P/S rear dinette option – rear of dinette
- 3 D/S rear dinette option – front of dinette
- 4 P/S rear dinette option – front of dinette **(cannot be combined with stereo)**
- 5 D/S front dinette option – front of dinette
- 6 P/S front dinette option – front of dinette
- 7 D/S front dinette option – rear of dinette
- 8 P/S front dinette option – rear of dinette

12V/USB & 120V OUTLET LOCATIONS



▲ 12V/USB OUTLETS

- 5 Standard location – *dinette side of wardrobe wall P/S*
- OPTIONAL LOCATIONS**
- 1 Face of P/S overhead cabinet – *above rear dinette*
 - 2 Face of P/S bench – *face of rear dinette bench*
 - 3 End of kitchen counter – *beside sink*
 - 4 Face of D/S overhead cabinet – *near shelf*
 - 5 Face of P/S overhead cabinet – *near shelf*
 - 6 Wardrobe wall P/S – *right of entry*
 - 7 Exterior P/S rear – *below marker light*


● STANDARD 120V OUTLETS

- 1 In P/S microwave cabinet – *above fridge*
- 2 Face of P/S dinette bench – *on face of bench*
- 3 End of kitchen counter – *beneath edge of counter under standard counter extension*
- 4 Wardrobe wall P/S – *dinette side of wall*
- 5 Exterior P/S rear – *below marker light*

● OPTIONAL 120V OUTLETS

- 6 Face of P/S overhead cabinet – *above rear dinette*
- 7 Face of D/S bench – *face of rear dinette bench*
- 8 Face of D/S bench – *face of front dinette bench*
- 9 Face of P/S bench – *face of front dinette bench*
- 10 Face of P/S overhead cabinet – *above front dinette (not available if #5 12V/USB selected)*


STANDARD LOCATIONS FOR OPTIONAL ITEMS



● OPTION LOCATIONS

- 1 TV Coaxial with 120V – face of overhead cabinet near fridge wall
- 2 Stereo – beneath overhead cabinet near fridge wall
- 3 Solar Panel Monitor – face of D/S overhead kitchen cabinet
- 4 Surge Protector Monitor E.M.S. – face of D/S dinette bench seat
- 5 TV Antenna – ceiling near 2 person dinette area
- 6 Two Speakers – installed in face of upper cabinets
- 7 Exterior Solar Port – P/S at rear of trailer (**only available with solar panel option**)
- 8 D/S Hot/Cold Exterior Water – Above wheel well
- 9 P/S Starlink Port – P/S at rear of trailer

COUNTER EXTENSIONS




COUNTER EXTENSION LOCATIONS

S Standard location – D/S in dinette 16" above bench platform – 11" x 18"

OPTIONAL LOCATIONS

- 1** Wall beside fridge P/S – left of entry, customer determines height – 13" x 15"
(wall must be reinforced)
- 2** Dividing wall P/S – next to fridge in dinette 16" above bench platform – 11" x 18"
- 3** Wardrobe wall P/S – right of entry counter height – 13" x 15"

STANDARD INTERIOR LIGHT LOCATIONS



● STANDARD INTERIOR LIGHTS

- 1 Single dome D/S rear dinette – bottom of overhead cabinet
- 2 Double dome rear dinette – ceiling centered above table
- 3 Single dome P/S rear dinette – bottom of overhead cabinet
- 4 Single dome P/S front dinette – bottom of overhead cabinet
- 5 Double dome front dinette center – centered above table
- 6 Single dome D/S bed – bottom of overhead cabinet
- 7 Single dome bathroom – on bathroom ceiling
- 8 Double dome kitchen – bottom of overhead cabinet

▲ MONITOR PANEL & CONVERTER

- 1 Standard location of Monitor Panel – face of upper cabinet in kitchen D/S. Monitor Panel displays current levels for: Battery, Fresh Water Tank, Grey Water Tank, Black Tank. Includes Water Pump On/Off Switch & Hot Water Tank On/Off Switch
- 2 Standard location of Converter – face of dinette bench seat D/S. Converts 120V power to 12V power and houses Breakers and Fuses

STANDARD & OPTIONAL EXTERIOR LIGHT LOCATIONS



Front



Rear



P/S - Passenger Side



D/S - Driver Side

● STANDARD EXTERIOR LIGHTS

- S Passenger Side – LED Porch Light located under the awning to the left of the entry door.
- S Driver Side – LED Light towards the bottom of the trailer above the dump valves.


Master Switch Exterior LED Light Package – This package includes optional locations 1 and 3. Interior switch is wired to these locations and standard P/S porch light. The other standard locations are controlled individually on the LED light itself.



Blue outline on standard or optional LED light location illustrates light is wired to interior switch.

● OPTIONAL EXTERIOR LIGHTS

- 1 Front of Trailer – Optional LED Light centered above belly band at the front of the trailer.
- 2 Passenger Side – Optional LED Light vertically centered (relative to standard porch light) placed below the belly band to the left of the entry door.
- 3 Driver Side – Optional LED Porch Light centered above Standard LED light where possible. This light will be at the same height as the standard porch light seen on the P/S.



● OPTIONAL REINFORCED WALLS

The interior walls are not reinforced but they can be as an option. If you plan on mounting items such as a TV, any sort of storage system, the wall will need to be reinforced.


- 1 Reinforced Wall – P/S fridge wall, door side (25 lbs)
- 2 Reinforced Wall – P/S fridge wall, bench side (25 lbs)
- 3 Reinforced Wall – D/S bathroom wall, kitchen side (25 lbs)
- 4 Reinforced Wall – D/S bathroom wall face, void from floor up to 32.5" (25 lbs)
- 5 Reinforced Wall – D/S bathroom wall, dinette side (25 lbs)
- 6 Reinforced Wall – P/S wardrobe, door side (25 lbs)

▲ RETRACTABLE WALL HOOKS

The Retractable Wall Hooks include 3 hooks per set.

- 1 Wall Hooks – bathroom wall, face of wall
- 2 Wall Hooks – P/S end of overhead cabinet right of entry

INTERIOR & EXTERIOR DIMENSIONS & HEIGHTS



Please note:

The standard fridge in the 17B F1 is 3 cuft. The optional 4 cuft. fridge is 4" deeper and reduces the kitchen width to 26".


Passenger Side – P/S

Gaucho Bunk option:

The 17B F1 Gaucho Bunk option converts the front two-person dinette into a bunk suitable for two. The lower bunk is comprised of the dinette bench seats and table with cushions and measures 30"W x 74-1/4"L. The upper bunk is comprised of a padded backrest that sits against the front wall when not in use and folds into place with two support brackets. The upper bunk measures 29"W x 70-1/4" L when in use. The Gaucho Bunk has a 200 lb. maximum capacity.

| | |
|----------------------|--------------------------------|
| Exterior Length | 17' 8" (add 6" for spare tire) |
| Max. Exterior Height | 8' 8" (Top of AC) |
| Exterior Width | 6' 8" |
| Interior Length | 13' 8" |
| Interior Height | 6' 2" |

Exterior Length measured from front of tongue to back of rear bumper



| | GROUND LEVEL TO | HEIGHT' | HEIGHT" |
|---|-----------------------------|---------|---------|
| A | Top of AC unit | 8' 8" | 104" |
| B | Top of open Maxx Fan | 8' 6" | 92" |
| C | Top of TV antenna | 8' 5" | 101" |
| D | Highest point of fiberglass | 7' 10" | 94" |

Body Lift Kit: add 2-5/8" to all heights

All dimensions are approximate and not drawn to scale